

Prepared for:

High Elevation Laboratories

34914 Powell Mesa Rd.
Hotchkiss, CO USA 81419

2000mg CBD Massage Oil (60 mL)

| | | | |
|--|-------------------------------|-------------------------------|---------------------|
| Batch ID or Lot Number: 3102 | Test: Trace THC | Reported: 02Nov2022 | USDA License: NA |
| Matrix: Unit Co | Test ID: T000225344 | Started: 01Nov2022 | Sampler ID: NA |
| | Method(s): TM20 (HPLC-DAD) | Received: 24Oct2022 | Status: NA |

Cannabinoids

| | Dynamic Range (%) | Result (%) | Result (mg/g) | Notes |
|--|-------------------|--------------|---------------|-------|
| Delta 9-Tetrahydrocannabinol (Delta 9-THC) | 0.001 - 0.686 | 0.115 | 1.15 | N/A |
| Delta 9-Tetrahydrocannabinolic Acid (THCA-A) | 0.002 - 1.373 | ND | 0.00 | N/A |
| Total Potential THC | - | 0.115 | 1.15 | |

Final Approval



Sam Smith
02Nov2022
07:47:00 AM MDT

PREPARED BY / DATE



Karen Winternheimer
02Nov2022
07:50:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/1fa63fac-7624-4c4e-b261-ad872f86c2e8>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product)
Total Potential THC is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step. Total THC = THC + (THCa * (0.877))
ND = None Detected (defined by dynamic range of the method)
ALOQ = Above Limit Of Quantitation (defined by dynamic range of the method)
Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
1fa63fac76244c4eb261ad872f86c2e8.1